



354—
2010

EN 354:2002
Personal protective equipment against falls from a height — Lanyard
(IDT)



2011

27 2002 . 184- « — 1.0—2004 « », .
 »

1 320 « » 7 -
 4, « »

2 320
 « »

3 30 2010 . 780-

4 354:2002 « -
 (EN 354:2002 «Personal protective equipment
 against falls from a height — Lanyard»).

1.5—2004 (3.5). -
 -
 ,

5

« », — -
 « », .
 () « ».
 « ».
 — ,

1	1
2	1
3	1
4	2
4.1	2
4.2	2
4.3	2
4.4	3
4.5	3
5	3
5.1	3
5.2	3
6	3
7	4
8	4
	ZA ()	
		EEC.....5
	()	
	6
	7

Occupational safety standards system. Personal protective equipment against falls from a height.
Lanyards. General technical requirements. Test methods

— 2012—01—01

1

358 [1].

363.

2

- 362
(EN 362:1992 Personal protective equipment against falls from a height — Connectors)
- EH 363 *
- (EN 363:2002 Personal protective equipment against falls from a height — Fall arrest systems)
- EH 364 (EN 364:1992
Personal protective equipment against falls from a height — Test methods)
- EH 365
(EN 365:1992 Personal protective equipment against falls from a
height — General requirements for instructions for use and for marking)
- 1835:1980 (4), -
(ISO 1835 Short link chain for lifting purposes — Grade M(4), non-calibrated,
for chain slings etc)
- 2232:1990 -
(ISO 2232 Round drawn wire for general purpose non-alloy steel wire ropes and for large diameter steel wire
ropes — Specifications)

3

3.1 (lanyard):
[363:2002]

3.2 (adjustment device):

[363:2002]

3.3 (length of lanyard) L_{lt} :

[363:2002]

3.4 (termination):

[363:2002]

3.5 (connector):

[363:2002]

4

4.1

363 (4.1).

4.2

4.2.1

100

L)

2 . ()

362.

4.2.2

0,6 /

4.2.3

2232.

4.2.4

6-

1835.

1834 [2].

4.2.5

362.

4.3

5.1

22

5.1

22

5.1

15

4.4

5.2

4.5

6.

7.

5

5.1

5.1.1

364 (

4.1).

5.1.2

364 (

5.2.2).

5.2

5.2.1

364 (

4.4.1,

4.5—4.6).

5.2.2

364 (

5.2.4),

:

60%

6

365 (

2.2)

)

(. . . 1);



1—

b)

c)

/ ;

7

- a) $\frac{365}{2} (2.1)$;
- b) ; 8 -
- c) ;
- d) ;
- e) ;
- f) ;
- g) - ;
- h) ;
- i) / -
- j) ;
- k) (),
- l) ;
-) ;
-) / ;
-) .

8

()

EEC

89/686/ . -

89/686/ , -

II:

2 .1

89/686/ . II	,
1.1	4.1
1.3.2	4.2—4.4
1.4 ,	4.5, 6 7
2.9 .	4.2
2.12 , -	6
3.1.2.2	4—8

EFTA.

()

.1

362:1992	IDT	12.4. 225—99 « »
363:2002	IDT	363-2007 « »
364:1992	MOD	12.4.206—99 « »
365:1992	IDT	12.4.226—99 « »
1835		«
2232		«
<p>* — : — - IDT — ; - MOD —</p>		

- [1] EN358 Personal protective equipment for work positioning and prevention of falls from a height— Belts for work positioning and restraint and work positioning lanyards.
- [2] ISO1834 Short link chain for lifting purposes — General conditions of acceptance

